




PRoduct LISt


- Grease Traps (Type A,B,C & D)
- Catch Basins
- Dry Manholes
- Puddle Flanges
- Sand Trap Buckets
- Gully Traps (Road Gully, Dry Gully etc)
- End Caps (Up to 400mm Ø)
- Grease interceptors, Oil Traps
- Heavy Duty PVC Gratings
- Long Radius Bends
- Offset, Pressure Header
- Perforated Flanged Pipes, Parapet Outlets
- Push fit Adaptors, Threaded Adaptors
- PVC Tank and Containers (for chemical storage)
- Soak Way, Silt Bucket
- Stack Drain Speed Breaker
- Weir Box (used in desalination plants)
- Custom P-Traps
- Fabricated Tees, Elbow etc
- Slotted Land Drain Pipes
- Fabricated Couplers
- Water Supply Headers
- Special Funnels
- Fabricated Reducer Y-Banches and many more.....



Weir Box



Filtration Bucket



Pressure Headers



High PR.Fittings



Long Radius Bends



Fabricated End Caps



Push Fit Adaptors



Threaded Adaptors



Perforated Flanges



Grease Trap A



Puddle Flanges



Grease Trap B



Grease Trap D



Runing Traps



Grease Trap C



Draymanholes



Catch Basins



Dry Gully Traps



Ramp Gully



Fabricated Couplers



Fabricated Fittings



Bell Mouth Flanges



Sand Trap Bukets



Catch Basins



Drymanholes



Fabricated Big Size TEE



Interceptors





Floor Trap



Straight Drop



Bosch Tee



Double Branch



Cross Tee



Straight End Drop



90 Angle End Drop



45 Elbow



Catch Basin



End Cap



Cross Over



Puddle Flange



Roof Outlet A



Open Gully Trap



Hedder



Long Radius Bends



Custom P-Traps



**Custom Made
Drainage Fittings**



Perforated Bend



Metered Bends



Perforated Flanged Sockets



Pressure Breaking Chambers



**Reducer Y-Branches
& Tees**



Road Gully



Soil Access Fitting



Interceptors



Sweep Tee



**Water Supply Headers
& Puddle Flange**





Ramp Gully




Single Y-Branch

TECHNICAL SPECIFICATION


ROAD GULLY



CATCH BASIN DETAILS




SAND TRAP BASKET DETAILS FOR 1000 X 600 CHAMBER




TECHNICAL SPECIFICATION


GREASE TRAP (A)




GREASE TRAP (B)



GREASE TRAP (C)




GREASE TRAP TYPE - D TO FIX BELOW SINK





	Perforated flanged Pipe					
	MODEL No.	D	L1	L2	FD	H
	UES-PF110 DR	110mm ϕ	100mm	400mm	270mm ϕ	8mm ϕ
	UES-PF110 DRS	110mm ϕ	100mm	400mm	270mm ϕ	8mm Slot

	Puddle flanges					
	MODEL No.	D	L1	L2	F	W
	UES - PF 2 S	55mm ϕ	300mm	300mm	150mm x 150mm	7mm
	UES - PF 3 S	82mm ϕ	300mm	300mm	190mm x 190mm	7mm
	UES - PF 4 S	110mm ϕ	300mm	300mm	210mm x 210mm	8mm
	UES - PF 6 S	160mm ϕ	500mm	300mm	260mm x 260mm	8mm


	Non-Standard Y-Branches				
	MODEL No.	D	d	Access cap	F
	UES - Y 6x4	160mm ϕ	110mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - Y 6x6	160mm ϕ	160mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - Y 8x6	200mm ϕ	160mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - Y 8x4	200mm ϕ	110mm ϕ	110mm	Available in H.Pr.& Soil pipe


	Non-Standard Double Y-Branches				
	MODEL No.	D	d	Access cap	F
	UES - DY 6x4	160mm ϕ	110mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - DY 6x6	160mm ϕ	160mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - DY 8x6	200mm ϕ	160mm ϕ	110mm	Available in H.Pr.& Soil pipe
	UES - DY 8x4	200mm ϕ	110mm ϕ	110mm	Available in H.Pr.& Soil pipe

	Pressure Breaking Manhole						
	MODEL No.	IN ϕ	OUT ϕ	D	d	H	h
	UES-DGT 315	2" ϕ CL-E	110mm ϕ	395mm ϕ	315mm ϕ	460mm	420mm
	UES-DGT 400	2 1/2" ϕ	110mm ϕ	395mm ϕ	400mm ϕ	460mm	420mm
	UES-DGT 500	2 1/2" ϕ	160mm ϕ	480mm ϕ	500mm ϕ	600mm	500mm

	Dry Manholes					
	MODEL	D	OUTLET	H	W	ACCES
	UES-RG 250	250mm ϕ	110mm	450mm	100mm	82mm ϕ
	UES-RG 315	315mm ϕ	160mm	560mm	150mm	110mm ϕ

	Ramp Trench Gully Drain					
	MODEL	D	OUTLET	H	W	ACCES
	UES-RG 250	250mm ϕ	110mm	450mm	100mm	82mm ϕ
	UES-RG 315	315mm ϕ	160mm	560mm	150mm	110mm ϕ

	Dry Gully Trap								
	Waste water from kitchen and bathroom is piped to a Gully Trap before emptying in to the sewer. A Gully Trap is a basin in the ground with a water seal to prevent foul odours of the sewer reaching the surface.								
	MODEL No.	IN ϕ	OUT ϕ	D	d	H	h	W	A
	UES-DGT 250	6" ϕ	6" ϕ	320mm ϕ	250mm ϕ	300mm	250mm	150mm	3"
	UES-DGT 315	8" ϕ	8" ϕ	395mm ϕ	315mm ϕ	350mm	300mm	150mm	3"
	UES-DGT 400	8" ϕ	8" ϕ	480mm ϕ	400mm ϕ	400mm	350mm	200mm	4"

	PVC Rain Water Outlet					
	Different Type of Rainwater Outlet, such as Roof outlet, Corner type scupper drain, Balcony Drains are available					
	MODEL	A	B	C	D	E
	UES-RW 82	150mm ϕ	150mm	75mm ϕ	85mm	45mm
	UES-RW 110	190mm ϕ	190mm	102mm ϕ	105mm	65mm